

AutoCAT CONV.

AutoCAT Automatic Series Conventional Spray Guns

AutoCAT Conv.

Features

- **Forged Aluminum Body**
- **Stainless Steel Fluid Passages**
- **Ratchet assembly available for precise fluid control adjustments (60-640)**



AutoCAT 100C

"General Purpose Conventional"




AutoCAT 300C

"Fine Finish Conventional"

The AutoCAT 100C is a general purpose conventional air spray automatic gun for spraying a wide range of coatings. Designed for production use, the AutoCAT is perfect for all coatings from thick to thin, stains to glue. Internal mix and carbide tipped fluid nozzles are also available for any specialty application.

The AutoCAT 300C is a fine finish conventional air spray automatic spray gun designed for production use. The gun offers the user a self-adjusting needle packing along with our 12 point plenum design for smaller, more uniform particles providing for an even and smooth finish.



Recommendations for AutoCAT 100C

MATERIAL TYPE	FLUID ORIFICE x AIR CAP	MAX PATTERN WIDTH	PRESSURE/ SIPHON
Very Thin less than 16 sec. Zahn #2 inks , dyes, solvents, stains	0.6, 0.7 mm x 2163	8	P
	0.6, 0.7 mm x 2166	9	S
	0.6, 0.7 mm x 2266	12	S
Thin 16 to 20 sec. Zahn #2 lacquers, enamels, primers, sealers	0.6, 0.7, 1.0 mm x 2163	8	P
	0.6, 0.7, 1.0 mm x 2366	14	S
	0.6, 0.7, 1.0 mm x 2466	13	S
Medium 21 to 30 sec. Zahn #2 automotive base coat, enamels, primers, epoxies, urethanes, automotive clear coat	1.2, 1.3, 1.5, 1.8 mm x 2263	14	P
	1.2, 1.3, 1.5, 1.8 mm x 2266	10	S
	1.2, 1.3, 1.5, 1.8 mm x 2266-3	15	S
	1.2, 1.3, 1.5, 1.8 mm x 2466	13	S
Heavy over 30 sec. Zahn #2 heavy body primers, high solid enamels high solid automotive coatings, adhesives	1.5, 1.8mm x 2466	13	S
	2.2 mm x 2167	12	P
	2.2 mm x 2267	15	P
	2.8 mm x 2168	12	P

Recommendations for AutoCAT 300C

MATERIAL TYPE	FLUID ORIFICE x AIR CAP	MAX PATTERN WIDTH	PRESSURE/ SIPHON
Very Thin less than 16 sec. Zahn #2 inks , dyes, solvents, stains	0.8 mm x 2010	12	P/S
	1.0 mm x 2010	12	P/S
Thin 16 to 20 sec. Zahn #2 lacquers, enamels, primers, sealers	0.8 mm x 2010	12	P/S
	1.0 mm x 2010	12	P/S
	1.3 mm x 2013	12	P/S
Medium 21 to 30 sec. Zahn #2 automotive base coat, enamels, primers, epoxies, urethanes, automotive clear coat	1.3 mm x 2013	12	P/S
	1.4 mm x 2014	12	P/S
	1.6 mm x 2016	12	P/S
Heavy over 30 sec. Zahn #2 heavy body primers, high solid enamels high solid automotive coatings, adhesives	1.4 mm x 2014	12	P/S
	1.6 mm x 2016	12	P/S